Covid 19 version

## CONSENT FORM for UROLOGICAL SURGERY



### PATIENT AGREEMENT TO INVESTIGATION OR TREATMENT

### Patient Details or pre-printed label

Patient's NHS Number or Hospital number	
Patient's surname/family name	
Patient's first names	
Date of birth	
Sex	
Responsible health professional	
Job Title	
Special requirements e.g. other language/other communication method	

#### Name of proposed procedure

(Include brief explanation if medical term not clear)

#### ANAESTHETIC

THIS INVOLVES TELESCOPIC EXAMINATION OF THE URETHRA AND BLADDER AND INJECTION OF COLLAGEN OR SILICONE AROUND URETHRAL SPHINCTER TO ADD BULK FOR URINARY CONTROL

- GENERAL/REGIONAL
- LOCAL
- SEDATION

Statement of health professional (To be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy) I have explained the procedure to the patient. In particular, I have explained:

The intended benefits

TO TREAT URINARY STRESS INCONTINENCE

Serious or frequently occurring risks including any extra procedures, which may become necessary during the procedure. I have also discussed what the procedure is likely to involve, the benefits and risks of any available alternative treatments (including no treatment) and any particular concerns of this patient. Please tick the box once explained to patient

$\sim$	N A	R A	$\sim$	N	

MILD BURNING OR BLEEDING ON PASSING URINE FOR SHORT PERIOD AFTER OPERATION

#### OCCASIONAL

- NO GUARANTEE OF LONG TERM CONTROL AND POSSIBLY ADDITIONAL INJECTIONS IN THE FUTURE
- INFECTION OF BLADDER REQUIRING ANTIBIOTICS
- FAILURE TO IMPROVE URINARY INCONTINENCE
- RECURRENCE OF URINARY INCONTINENCE AT LATER TIME
- NEED FOR REPEAT PROCEDURE

#### **RARE**

- RARELY, MABILITY TO PASS URINE REQUIRING A CATHETER OR USE OF SELF CATHETERISATION
- SENSITIVITY REACTION TO THE INJECTABLES CAUSING IRRITATION OR INFECTION
- REACTION TO COLLAGEN OR SILICONE THAT MIGHT CAUSE UNKNOWN MEDICAL PROBLEMS

ALTERNATIVE THERAPY: OBSERVATION, PHYSIOTHERAPY, PADS, COLPOSUSPENSION AND SLINGS

#### Covid 19

- it is not possible to give an accurate estimate of contracting Covid 19 while in hospital
   Elective patients who develop hospital-acquired Covid-19 have a postoperative 30 day mortality of 16.2%, with the two-thirds who experience pulmonary complications having a mortality rate of 23.8%

(Source - https://www.rcseng.ac.uk/coronavirus/recovery-of-surgical-services/tool-5/#3)

#### A blood transfusion may be necessary during procedure and patient agrees YES or NO (Ring)

Signature of	Job Title
Health Professional	
Printed Name	Date

The following leaflet/tape has been provided

**Contact details** (if patient wishes to discuss options later)

Statement of interpreter (where appropriate) I have interpreted the information above to the patient to the best of my ability and in a way in which I believe s/he can understand.

Signature of interpreter:

Print name:

Date:

Copy (i.e. page 3) accepted by patient: yes/no (please ring)

# Name of proposed procedure (Include brief explanation if medical term not clear) CYSTOSCOPY AND INJECTIONS OF BULKING MATERIAL AT BLADDER OPENING THIS INVOLVES TELESCOPIC EXAMINATION OF THE URETHRA AND BLADDER AND INJECTION OF COLLAGEN OR SILICONE AROUND URETHRAL SPHINCTER TO ADD BULK FOR URINARY CONTROL - GENERAL/REGIONAL - LOCAL - SEDATION

<u>Statement of health professional</u> (To be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy) I have explained the procedure to the patient. In particular, I have explained:

The intended benefits

TO TREAT URINARY STRESS INCONTINENCE

<u>Serious or frequently occurring risks</u> including any extra procedures, which may become necessary during the procedure. I have also discussed what the procedure is likely to involve, the benefits and risks of any available alternative treatments (including no treatment) and any particular concerns of this patient. Please tick the box once explained to patient

COMMON  MILD BURNING OR BLEEDING ON PASSING URINE FOR SHORT PERIOD AFTER OPERATION		
OCCASIONAL  NO GUARANTEE OF LONG TERM CONTROL AND POSSIBLY ADDITIONAL INJECTIONS IN THE FUTURE INFECTION OF BLADDER REQUIRING ANTIBIOTICS FAILURE TO IMPROVE URINARY INCONTINENCE RECURRENCE OF URINARY INCONTINENCE AT LATER TIME NEED FOR REPEAT PROCEDURE  RARE RARE SENSITIVITY TO PASS URINE REQUIRING A CATHETER OR USE OF SELF CATHETERISATION SENSITIVITY REACTION TO THE INJECTABLES CAUSING IRRITATION OR INFECTION		
REACTION TO COLLAGEN OR SILICONE THAT MIGHT CAUSE UNKNOWN MEDICAL PROBLEMS		
ALTERNATIVE THERAPY: OBSERVATION, PHYSIOTHERAPY, PADS, COLPOSUSPENSION AND SLINGS  Covid 19 - it is not possible to give an accurate estimate of contracting Covid 19 while in hospital - Elective patients who develop hospital-acquired Covid-19 have a postoperative 30 day mortality of 16.2%, with the two-thirds who experience pulmonary complications having a mortality rate of 23.8%		
(Source - https://www.rcseng.ac.uk/coronavirus/recovery-of-surgical-services/tool-5/#3)		

A blood transfusion may be necessary during procedure and patient agrees YES or NO (Ring)

	, - 2 32
Signature of	Job Title
Health Professional	
Printed Name	Date
The following leaflet/tape has been provided	-
<b>Contact details</b> (if patient wishes to discuss options later	^)
Statement of interpreter (where appropriate) I	have interpreted the information above to the
patient to the best of my ability and in a way in which I	•

Signature of	Print name:	Date
interpreter:		

#### Statement of patient

Please read this form carefully. If your treatment has been planned in advance, you should already have your own copy of page 2, which describes the benefits and risks of the proposed treatment. If not, you will be offered a copy now. If you have any further questions, do ask - we are here to help you. You have the right to change your mind at any time, including after you have signed this form.

_		
Т	aa	ree

- to the procedure or course of treatment described on this form.
- to a blood transfusion if necessary
- That any tissue that is normally removed in this procedure could be stored and used for medical research (after the pathologist has examined it) rather than simply discarded. PLEASE TICK IF YOU AGREE

#### I understand

- that you cannot give me a guarantee that a particular person will perform the procedure. The person will, however, have appropriate experience.
- that I will have the opportunity to discuss the details of anaesthesia with an anaesthetist before the procedure, unless the urgency of my situation prevents this. (This only applies to patients having general or regional anaesthesia.)
- that any procedure in addition to those described on this form will only be carried out if it is necessary to save my life or to prevent serious harm to my health.
- about additional procedures which may become necessary during my treatment. I have listed below any procedures which I do not wish to be carried out without further discussion.

Signature of Patient:		Print please:	Date:
A with a	alaasidad adama ( ) sees		

<u>A witness should sign</u> below if the patient is unable to sign but has indicated his or her consent. Young people/children may also like a parent to sign here. (See DOH guidelines).

Signed		
Date		
Name (PRINT)		

<u>Confirmation of consent</u> (to be completed by a health professional when the patient is admitted for the procedure, if the patient has signed the form in advance). On behalf of the team treating the patient, I have confirmed with the patient that s/he has no further questions and wishes the procedure to go ahead.

Signature of	Job Title
Health Professional	
Printed Name	Date

#### Important notes: (tick if applicable)

- . See also advance directive/living will (eg Jehovah's Witness form)
  - . Patient has withdrawn consent (ask patient to sign/date here)