

CONSENT FORM for UROLOGICAL SURGERY

(Designed in compliance with  consent form 1)

PATIENT AGREEMENT TO INVESTIGATION OR TREATMENT

Patient Details or pre-printed label

| | |
|--|--|
| Patient's NHS Number or Hospital number | |
| Patient's surname/family name | |
| Patient's first names | |
| Date of birth | |
| Sex | |
| Responsible health professional | |
| Job Title | |
| Special requirements <i>e.g. other language/other communication method</i> | |

Patient identifier/label

| | |
|---|---|
| Name of proposed procedure (Include brief explanation if medical term not clear) | ANAESTHETIC |
| REMOVAL OF EPIDIDYMAL CYST SIDE .. THIS IS THE REMOVAL OR REPAIR OF FLUID SAC IN THE SCROTUM | - GENERAL/REGIONAL - LOCAL - SEDATION |

Statement of health professional (To be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy) I have explained the procedure to the patient. In particular, I have explained:

The intended benefits

TO TREAT THE FLUID CYST IN YOUR SCROTUM

Serious or frequently occurring risks including any extra procedures, which may become necessary during the procedure. I have also discussed what the procedure is likely to involve, the benefits and risks of any available alternative treatments (including no treatment) and any particular concerns of this patient. Please tick the box once explained to patient

OCCASIONAL

- RECURRENCE OF FLUID COLLECTION CAN OCCUR
- BLOOD COLLECTION AROUND TESTES WHICH RESOLVES SLOWLY OR REQUIRES SURGICAL REMOVAL
- POSSIBLE INFECTION OF INCISION OR TESTIS REQUIRING FURTHER TREATMENT

RARE

- VERY RARELY THE SCARRING CAN DAMAGE THE EPIDIDYMIS CAUSING SUBFERTILITY

ALTERNATIVE THERAPY: OBSERVATION, REMOVAL OF FLUID WITH A NEEDLE, VARIOUS OTHER SURGICAL APPROACHES

Covid 19

- it is not possible to give an accurate estimate of contracting Covid 19 while in hospital
- Elective patients who develop hospital-acquired Covid-19 have a postoperative 30 day mortality of 16.2%, with the two-thirds who experience pulmonary complications having a mortality rate of 23.8%

(Source - <https://www.rcseng.ac.uk/coronavirus/recovery-of-surgical-services/tool-5/#3>)

A blood transfusion may be necessary during procedure and patient agrees **YES or NO (Ring)**

| | |
|---|------------------|
| Signature of Health Professional | Job Title |
| Printed Name | Date |

The following leaflet/tape has been provided

Contact details (if patient wishes to discuss options later)

Statement of interpreter (where appropriate) I have interpreted the information above to the patient to the best of my ability and in a way in which I believe s/he can understand.

| | | |
|----------------------------------|--------------------|--------------|
| Signature of interpreter: | Print name: | Date: |
|----------------------------------|--------------------|--------------|

Copy (i.e. page 3) accepted by patient: yes/no (please ring)

Patient identifier/label

Patient Copy

| | |
|---|---|
| Name of proposed procedure (Include brief explanation if medical term not clear) | ANAESTHETIC |
| REMOVAL OF EPIDIDYMAL CYST SIDE .. THIS IS THE REMOVAL OR REPAIR OF FLUID SAC IN THE SCROTUM | - GENERAL/REGIONAL - LOCAL - SEDATION |

Statement of health professional (To be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy) I have explained the procedure to the patient. In particular, I have explained:

The intended benefits

TO TREAT THE FLUID CYST IN YOUR SCROTUM

Serious or frequently occurring risks including any extra procedures, which may become necessary during the procedure. I have also discussed what the procedure is likely to involve, the benefits and risks of any available alternative treatments (including no treatment) and any particular concerns of this patient. Please tick the box once explained to patient

OCCASIONAL

- RECURRENCE OF FLUID COLLECTION CAN OCCUR
- BLOOD COLLECTION AROUND TESTES WHICH RESOLVES SLOWLY OR REQUIRES SURGICAL REMOVAL.
- POSSIBLE INFECTION OF INCISION OR TESTIS REQUIRING FURTHER TREATMENT

RARE

- VERY RARELY THE SCARRING CAN DAMAGE THE EPIDIDYMIS CAUSING SUBFERTILITY

ALTERNATIVE THERAPY: OBSERVATION, REMOVAL OF FLUID WITH A NEEDLE, VARIOUS OTHER SURGICAL APPROACHES

Covid 19

- it is not possible to give an accurate estimate of contracting Covid 19 while in hospital
- Elective patients who develop hospital-acquired Covid-19 have a postoperative 30 day mortality of 16.2%, with the two-thirds who experience pulmonary complications having a mortality rate of 23.8%

(Source - <https://www.rcseng.ac.uk/coronavirus/recovery-of-surgical-services/tool-5/#3>)

A blood transfusion may be necessary during procedure and patient agrees **YES or NO (Ring)**

| | |
|---|------------------|
| Signature of Health Professional | Job Title |
| Printed Name | Date |

The following leaflet/tape has been provided

Contact details (if patient wishes to discuss options later) _____

Statement of interpreter (where appropriate) I have interpreted the information above to the patient to the best of my ability and in a way in which I believe s/he can understand.

Signature of interpreter:

Print name:

Date:

Statement of patient

Please read this form carefully. If your treatment has been planned in advance, you should already have your own copy of page 2, which describes the benefits and risks of the proposed treatment. If not, you will be offered a copy now. If you have any further questions, do ask - we are here to help you. You have the right to change your mind at any time, including after you have signed this form.

- I agree**
- to the procedure or course of treatment described on this form.
 - to a blood transfusion if necessary
 - that any tissue that is normally removed in this procedure could be stored and used for medical research (after the pathologist has examined it) rather than simply discarded. PLEASE TICK IF YOU AGREE
- I understand**
- that you cannot give me a guarantee that a particular person will perform the procedure. The person will, however, have appropriate experience.
 - that I will have the opportunity to discuss the details of anaesthesia with an anaesthetist before the procedure, unless the urgency of my situation prevents this. (This only applies to patients having general or regional anaesthesia.)
 - that any procedure in addition to those described on this form will only be carried out if it is necessary to save my life or to prevent serious harm to my health.
 - about additional procedures which may become necessary during my treatment. I have listed below any procedures which **I do not wish to be carried out** without further discussion.

| | | | |
|------------------------------|--|----------------------|--------------|
| Signature of Patient: | | Print please: | Date: |
|------------------------------|--|----------------------|--------------|

A witness should sign below if the patient is unable to sign but has indicated his or her consent. Young people/children may also like a parent to sign here. (See DOH guidelines).

Signed _____
 Date _____
 Name (PRINT) _____

Confirmation of consent (to be completed by a health professional when the patient is admitted for the procedure, if the patient has signed the form in advance). On behalf of the team treating the patient, I have confirmed with the patient that s/he has no further questions and wishes the procedure to go ahead.

| | |
|---|------------------|
| Signature of Health Professional | Job Title |
| Printed Name | Date |

Important notes: (tick if applicable)

- . See also advance directive/living will (eg Jehovah's Witness form)
- . Patient has withdrawn consent (ask patient to sign/date here)