**Covid 19 Version** 

# CONSENT FORM for UROLOGICAL SURGERY



## PATIENT AGREEMENT TO INVESTIGATION OR TREATMENT

### Patient Details or pre-printed label

Patient's NHS Number or Hospital number	
Patient's surname/family name	
Patient's first names	
Date of birth	
Sex	
Responsible health professional	
Job Title	
Special requirements e.g. other language/other communication method	

Name of proposed procedure (Include brief explanation if medical term not clear)	ANAESTHETIC
VASECTOMY  REMOVAL OF A SMALL SECTION OF VAS FROM BOTH SIDES	- GENERAL/REGIONAL - LOCAL - SEDATION

<u>Statement of health professional</u> (To be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy) I have explained the procedure to the patient. In particular, I have explained:

	The	intend	led b	enefits
--	-----	--------	-------	---------

PERMANENT CONTRACEPTION

<u>Serious or frequently occurring risks</u> including any extra procedures, which may become necessary during the procedure. I have also discussed what the procedure is likely to involve, the benefits and risks of any available alternative treatments (including no treatment) and any particular concerns of this patient. Please tick the box once explained to patient

COMMON
□ IRREVERSIBLE PROCEDURE
□ SMALL AMOUNT OF SCROTAL BRUISING □ 2 SEMEN SAMPLES REQUIRED BEFORE UNPROTECTED INTERCOURSE WITH ABSENCE OF LIVE SPERMS
2 CEMEN GAINI LEG REGGINED BET GIVE GIVE NOT ROTEGIED INVERCOGNOZ WITH ABBEINGE GIVE GIVE GIVE GIVE GIVE GIVE GIVE GI
OCCASIONAL  RESPINA PER UPDA PER UPDA PROPERTO P
BLEEDING REQUIRING FURTHER SURGERY OR BRUISING
RARE
RARELY, INFLAMMATION OF INFECTION OF TESTES OR EPIDIDYMIS REQUIRING ANTIBIOTICS
RE-JOINING OF VAS ENDS RESULTING IN FERTILITY & PREGNANCY (1 IN 2000)  CHRONIC TESTICULAR PAIN (5%) OR SPERM GRANULOMA
ALTERNATIVE TREATMENT OTHER FORMS OF CONTRACEPTION, MALE OR FEMALE
Covid 19
- it is not possible to give an accurate estimate of contracting Covid 19 while in hospital
- Elective patients who develop hospital-acquired Covid-19 have a postoperative 30 day mortality of 16.2%, with the two- thirds who experience pulmonary complications having a mortality rate of 23.8%
(Source - https://www.rcseng.ac.uk/coronavirus/recovery-of-surgical-services/tool-5/#3)

#### A blood transfusion may be necessary during procedure and patient agrees YES or NO (Ring)

Signature of	Job Title
Health Professional	
Printed Name	Date
The following leaflet/tape has been provided	

The following leaflet/tape has been provided

**Contact details** (if patient wishes to discuss options later) \_

**Statement of interpreter** (where appropriate) I have interpreted the information above to the patient to the best of my ability and in a way in which I believe s/he can understand.

Signature of	Print name:	Date
interpreter:		

Name of proposed procedure (Include brief explanation if medical term not clear)	ANAESTHETIC	
VASECTOMY REMOVAL OF A SMALL SECTION OF VAS FROM BOTH SIDES	- GENERAL/REGIONAL - LOCAL - SEDATION	

<u>Statement of health professional</u> (To be filled in by health professional with appropriate knowledge of proposed procedure, as specified in consent policy) I have explained the procedure to the patient. In particular, I have explained:

The	intend	led l	nene	fitc
1116	11116114	eu i	JEHE	1113

PERMANENT CONTRACEPTION

<u>Serious or frequently occurring risks</u> including any extra procedures, which may become necessary during the procedure. I have also discussed what the procedure is likely to involve, the benefits and risks of any available alternative treatments (including no treatment) and any particular concerns of this patient. Please tick the box once explained to patient

COMMON  IRREVERSIBLE PROCEDURE  SMALL AMOUNT OF SCROTAL BRUISING  2 SEMEN SAMPLES REQUIRED BEFORE UNPROTECTED INTERCOURSE WITH ABSENCE OF LIVE SPERMS
OCCASIONAL  BLEEDING REQUIRING FURTHER SURGERY OR BRUISING  RARE  RARELY, INFLAMMATION OR INFECTION OF TESTES OR EPIDIDYMIS REQUIRING ANTIBIOTICS  RE-JOINING OF VAS ENDS RESULTING IN FERTILITY & PREGNANCY (1 IN 2000)  CHRONIC TESTICULAR PAIN (5%) OR SPERM GRANULOMA
Covid 19 - it is not possible to give an accurate estimate of contracting Covid 19 while in hospital - Elective patients who develop hospital-acquired Covid-19 have a postoperative 30 day mortality of 16.2%, with the two-thirds who experience pulmonary complications having a mortality rate of 23.8%  (Source - https://www.rcseng.ac.uk/coronavirus/recovery-of-surgical-services/tool-5/#3)
(200.00 maps

A blood transfusion may be necessary during procedure and patient agrees YES or NO (Ring)

Signature of Health Professional	Job Title
Printed Name	Date
The following leaflet/tape has been provided	
Contact details (if patient wishes to discuss options later)	

<u>Statement of interpreter</u> (where appropriate) I have interpreted the information above to the patient to the best of my ability and in a way in which I believe s/he can understand.

Signature of	Print name:	Date
interpreter:		

#### Statement of patient

Please read this form carefully. If your treatment has been planned in advance, you should already have your own copy of page 2, which describes the benefits and risks of the proposed treatment. If not, you will be offered a copy now. If you have any further questions, do ask - we are here to help you. You have the right to change your mind at any time, including after you have signed this form.

_		
1	aaree	2

- to the procedure or course of treatment described on this form.
- to a blood transfusion if necessary
- that any tissue that is normally removed in this procedure could be stored and used for medical research (after the pathologist has examined it) rather than simply discarded. PLEASE TICK IF YOU AGREE

#### I understand

- that you cannot give me a guarantee that a particular person will perform the procedure. The person will, however, have appropriate experience.
- that I will have the opportunity to discuss the details of anaesthesia with an anaesthetist before the procedure, unless the urgency of my situation prevents this. (This only applies to patients having general or regional anaesthesia.)
- that any procedure in addition to those described on this form will only be carried out if it is necessary to save my life or to prevent serious harm to my health.
- about additional procedures which may become necessary during my treatment. I have listed below any procedures which I do not wish to be carried out without further discussion.

Signature of Patient:		Print please:	Date:
-----------------------	--	------------------	-------

<u>A witness should sign</u> below if the patient is unable to sign but has indicated his or her consent. Young people/children may also like a parent to sign here. (See DOH guidelines).

Signed	_
Date	
Name (PRINT)	

<u>Confirmation of consent</u> (to be completed by a health professional when the patient is admitted for the procedure, if the patient has signed the form in advance). On behalf of the team treating the patient, I have confirmed with the patient that s/he has no further questions and wishes the procedure to go ahead.

Signature of	Job Title
Health Professional	
Printed Name	Date

#### Important notes: (tick if applicable)

- . See also advance directive/living will (eg Jehovah's Witness form)
  - . Patient has withdrawn consent (ask patient to sign/date here)